EasyStand

Retail Order Form

USA Effective January 1, 2023

Bantam Extra Small User Specifications

| Approximate Height Range Weight Limit | 28"-40" 50 lbs. |
|--|----------------------|
| Seat Depth Range (seat to back surface) Seat to Foot Plate Range (from seat pivot) | 7"-12" 4.5"-16.5" |
| Bill TO (EasyStand Supplier Only) | |
| Purchase Order #: | |
| Quote #: | |
| Account #: | |
| Ordered By: | |
| Name of ATP (Required): | |
| Supplier Company: | |
| Address: | |
| City, State, Zip: | |
| Phone: | |
| Email: | |
| Payer Source: | |
| Ship To | |
| Name: | |
| Address: | |
| Address: | |
| City, State: | |
| Zip: | |
| Phone: | |
| Tag For: | |
| | |
| Email form to webquotes@easysta | nd.com |

Date:

Bantam Extra Small Packages

| ciect one color | |
|---|--|
| Frame Color (select one) Green DEFAULT Purple White Orange PK101 Minimum Support Package\$5,027 | □ PK103 Maximum Support Package\$7,361 The maximum support package includes: (no substitutions) Supine, Easy-Adjust Seat Depth, Dual Control, Gas Spring Lockout, Swing-Away Tray, Forearm Wings, Multi-Adjustable Foot Plates, Secure Foot Straps, Swing-Away Knee Pads, Hip Supports, Calf Pad, Lateral Supports, Velcro® Positioning Belt, X-Style Chest Vest, High Mount Chest Vest Bracket, Head Support, Push Handle, Gas Spring Lift with Foot Pedal, Planar Seat & Back, Front Wheels/Casters, 3" Rear Locking |
| he minimum support package includes: (no substitutions) upine, Easy-Adjust Seat Depth, Black Molded Tray, Velcro® Positioning Belt, | Swivel Casters. |
| ead Support, Planar Seat & Back, Gas Spring Lift with Foot Pedal, Slide-In Knee ads, 5" Front Wheels, 3" Rear Locking Swivel Casters, Chest Strap, Height djustable Foot Plates. | Front Wheel/Casters (select one) 5" Front Wheels DEFAULT Front Swivel Casters Swing-Away Tray (select one) |
| | ☐ Black Molded 11"Lx19"W ☐ Clear Tray-11"Lx19"W DEFAULT Foot Holders (select one, pair) ☐ 6"Lx3"W ☐ 7.75"Lx3.25"W DEFAULT ☐ 9.75"Lx4"W |
| Knee Pads (select one, inside width) □ 2.5" □ 3.25" object. □ 4.25" | Secure Foot Straps (select one, length over top of foot, two pair) |
| Planar Back (select one, height from seat) 11"-13"H Range DEFAULT 15"-17"H Range | Knee Pads (select one, inside width) ☐ 2.5" ☐ 3.25" perault ☐ 4.25" |
| /elcro® Positioning Belt (select one, hip circumference) up to 23" perAult up to 33" | Planar Back (select one, height from seat) 11"-13"H Range DEFAULT 15"-17"H Range |
| Head Support (select one) ☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit default | Lateral Supports (select one) ☐ 5"-9"W Range (select pad style below) ☐ Flat Pads DEFAULT ☐ CURVED PADS |
| ☐ PK102 Moderate Support Package\$6,122 | 8"-12"W Range (select pad style below) |
| he moderate support package includes: (no substitutions) upine, Easy-Adjust Seat Depth, Black Molded Swing-Away Tray, Forearm Wings, fulti-Adjustable Foot Plates, Secure Foot Straps, Swing-Away Knee Pads, Form to Fit eat, Form to Fit Back, Velcro® Positioning Belt, X-Style Chest Vest, High Mount Chest | ☐ Flat Pads DEFAULT ☐ CURVED PADS Velcro® Positioning Belt (select one, hip circumference) ☐ up to 23" DEFAULT ☐ up to 33" |
| eat, Form to Hit Back, Vettor Positioning Belt, X-style Great Vest, High Mount Great fest Bracket, Head Support, Gas Spring Lift with Foot Pedal, Front Wheels/Casters, 3" ear Locking Swivel Casters. | X-Style Chest Vest (select one) ☐ 9.5"Lx9"W DEFAULT ☐ 11"Lx9.5"W |
| Front Wheel/Casters (select one) | □ Non-Stretch 9.5"Lx9"W □ Non-Stretch 11"Lx9.5"W Head Support (select one) |
| FOOT HOIDERS (select one, pair) ☐ 6"LX3"W ☐ 7.75"LX3.25"W DEFAULT ☐ 9.75"LX4"W | ☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit DeFAULT |
| Secure Foot Straps (select one, length over top of foot, two pair) | ☐ PK104 Moderate Support Package (Mobile)\$6,455 The moderate support package includes: (no substitutions) |
| (nee Pads (select one, inside width) □ 2.5" □ 3.25" operault □ 4.25" | Easy-Adjust Seat Depth, Mobile, Mobile Tray, Multi-Adjustable Foot Plates, Secure Foot Straps, Swing-Away Knee Pads, Hip Supports, Velcro® Positioning Belt, X-Style Chest Vest, High Mount Chest Vest Bracket, Gas Spring Lift with Foot |
| From to Fit Back (select one, height from seat) 11"-13"H Range DEFAULT 15"-17"H Range | Pedal, Planar Seat & Back, 3" Rear Locking Casters. Foot Holders (select one, pair) |
| /elcro® Positioning Belt (select one, hip circumference) up to 23" peralut up to 33" | ☐ 6"LX3"W ☐ 7.75"LX3.25"W DEFAULT ☐ 9.75"LX4"W Secure Foot Straps (select one, length over top of foot, two pair) |
| K-Style Chest Vest (select one) ☐ 9.5"LX9"W DEFAULT ☐ 11"LX9.5"W | ☐ 10"L DEFAULT ☐ 15"L Knee Pads (select one, inside width) |
| ☐ Non-Stretch 9.5"Lx9"W ☐ Non-Stretch 11"Lx9.5"W | ☐ 2.5" ☐ 3.25" default ☐ 4.25" |
| Head Support (select one) | Planar Back (select one, height from seat) ☐ 11"-13"H Range DEFAULT ☐ 15"-17"H Range |
| ☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit default | Velcro® Positioning Belt (select one, hip circumference) ☐ up to 23" befault ☐ up to 33" |
| | X-Style Chest Vest (select one) |

☐ Non-Stretch 11"Lx9.5"W

☐ Non-Stretch 9.5"Lx9"W

Altimate Medical



Retail Order Form

USA Effective January 1, 2023

Approximate Height Range

Weight Limit

Bantam Small User Specifications

36"-54"

100 lbs.

| Seat Depth Range (seat to back surface) Seat to Foot Plate Range (from seat pivot) | 4.5"-16.5" |
|--|------------|
| Bill TO (EasyStand Supplier Only) | |
| Purchase Order #: | |
| Quote #: | |
| Account #: | |
| Ordered By: | |
| Name of ATP (Required): | |
| Supplier Company: | |
| Address: | |
| City, State, Zip: | |
| Phone: | |
| Email: | |
| Payer Source: | |
| Ship To | |
| Name: | |
| Address: | |
| Address: | |
| City, State: | |
| Zip: | |
| Phone: | |
| Tag For: | |
| | |

Bantam Small Packages

☐ PK107 Maximum Support Package.....\$7,361 Frame Color (select one) The maximum support package includes: (no substitutions) Green DEFAULT Supine, Easy-Adjust Seat Depth, Dual Control, Gas Spring Lockout, Swing-Away ☐ Purple Tray, Forearm Wings, Multi-Adjustable Foot Plates, Secure Foot Straps, Swing-Away White Knee Pads, Hip Supports, Calf Pad, Lateral Supports, Velcro® Positioning Belt, X-Style Orange Chest Vest, High Mount Chest Vest Bracket, Head Support, Push Handle, Gas Spring Lift with Foot Pedal, Planar Seat & Back, Front Wheels/Casters, 3" Rear Locking ☐ PK105 Minimum Support Package.....\$5,027 The minimum support package includes: (no substitutions) Swivel Casters Supine, Easy-Adjust Seat Depth, Black Molded Tray, Velcro® Positioning Belt, Front Wheel/Casters (select one) Head Support, Planar Seat & Back, Gas Spring Lift with Foot Pedal, Slide-In Knee ☐ 5" Front Wheels DEFAULT ☐ Front Swivel Casters Pads, 5" Front Wheels, 3" Rear Locking Swivel Casters, Chest Strap, Height Swing-Away Tray (select one) Adjustable Foot Plates. ☐ Black Molded 11"Lx19"W ☐ Clear Trav-11"Lx19"W DEFAULT Foot Holders (select one, pair) Knee Pads (select one, inside width) ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W DEFAULT ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5' Knee Pads (select one, inside width) Foot Holders (select one, pair) ☐ 3.25" ☐ 4.25" DEFAULT ☐ 5' ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W default ☐ 11.75"Lx5"W Planar Back (select one, height from seat) Secure Foot Straps (select one, length over top of foot, two pair) ☐ 14"-16"H Range DEFAULT
☐ 18"-20"H Range ☐ 10"L DEFAULT ☐ 15"L Planar Back (select one, height from seat) Velcro® Positioning Belt (select one, hip circumference) ☐ 14"-16"H Range DEFAULT ☐ 18"-20"H Range ☐ up to 29" perault ☐ up to 39" Lateral Supports (select one) Head Support (select one) 5"-9"W Range (select pad style below) ☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit DEFAULT ☐ Flat Pads DEFAULT ☐ Curved Pads ☐ PK106 Moderate Support Package.....\$6,122 8"-12"W Range (select pad style below) The moderate support package includes: (no substitutions) ☐ Flat Pads DEFAULT ☐ Curved Pads Supine, Easy-Adjust Seat Depth, Black Molded Swing-Away Tray, Forearm Wings, Velcro® Positioning Belt (select one, hip circumference) Multi-Adjustable Foot Plates, Secure Foot Straps, Swing-Away Knee Pads, Form to Fit ☐ up to 29" perault ☐ up to 39" Seat, Form to Fit Back, Velcro® Positioning Belt, X-Style Chest Vest, High Mount Chest X-Style Chest Vest (select one) Vest Bracket, Head Support, Gas Spring Lift with Foot Pedal, Front Wheels/Casters, 3" ☐ 9.5"LX9"W DEFAULT ☐ 11"Lx9.5"W Rear Locking Swivel Casters. ☐ Non-Stretch 9.5"Lx9"W ☐ Non-Stretch 11"Lx9.5"W Front Wheel/Casters (select one) Head Support (select one) ☐ 5" Front Wheels DEFAULT ☐ Front Swivel Casters ☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit perault Foot Holders (select one, pair) ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W DEFAULT ☐ 11.75"Lx5"W ☐ PK108 Moderate Support Package (Mobile)....\$6,455 Secure Foot Straps (select one, length over top of foot, two pair) The moderate support package includes: (no substitutions) ☐ 10"L DEFAULT ☐ 15"L Easy-Adjust Seat Depth, Mobile, Mobile Tray, Multi-Adjustable Foot Plates, Knee Pads (select one, inside width) Secure Foot Straps, Swing-Away Knee Pads, Hip Supports, Velcro® Positioning □ 3.25" □ 4.25"_{DEFAULT} □ 5" Belt, X-Style Chest Vest, High Mount Chest Vest Bracket, Gas Spring Lift with Foot Pedal, Planar Seat & Back, 3" Rear Locking Casters. From to Fit Back (select one, height from seat) ☐ 12.5"-14.5"H Range DEFAULT ☐ 16.5"-18.5"H Range Foot Holders (select one, pair) ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W DEFAULT ☐ 11.75"Lx5"W Velcro® Positioning Belt (select one, hip circumference) Secure Foot Straps (select one, length over top of foot, two pair) ☐ up to 29" default ☐ up to 39" ☐ 10"L DEFAULT ☐ 15"L X-Style Chest Vest (select one) Knee Pads (select one, inside width) 9.5"LX9"W DEFAULT ☐ 11"Lx9.5"W ☐ 3.25" ☐ 4.25" default ☐ 5' ☐ Non-Stretch 9.5"Lx9"W ☐ Non-Stretch 11"Lx9.5"W Planar Back (select one, height from seat) Head Support (select one) ☐ 14"-16"H Range DEFAULT ☐ 18"-20"H Range ☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 5"Hx10"W-Form to Fit perault Velcro® Positioning Belt (select one, hip circumference) ☐ up to 29" default ☐ up to 39"

> X-Style Chest Vest (select one) ☐ 9.5"LX9"W DEFAULT

☐ 11"Lx9.5"W

☐ Non-Stretch 9.5"Lx9"W ☐ Non-Stretch 11"Lx9.5"W

Email form to webquotes@easystand.com

Altimate Medical



Retail Order Form USA Effective January 1, 2023

Bantam Medium User Specifications

Approximate Height Range 200 lbs. Weight Limit 15"-20" Seat Depth Range (seat to back surface) 7"-18.5" Seat to Foot Plate Range (from seat pivot) Bill TO (EasyStand Supplier Only) Purchase Order #:____ Quote #:____ Ordered By: Name of ATP (Required): Supplier Company: _____ Fr Email: Payer Source: Ship To Address: City, State: Phone: Tag For:

Date:___

4'0"-5'6"

Bantam Medium Packages

| PK109 Minimum Support Package\$5,945 he minimum support package includes: (no substitutions) upine, Easy-Adjust Seat Depth, Black Molded Tray, Planar Back, Velcro® ositioning Belt, 5" Front Wheels, Slide-In Knee Pads, 5" Rear Locking Casters, lanar Seat, Height-Only Adjustable Foot Plates. | □ PK111 Maximum Support Package\$7,955 The maximum support package includes: (no substitutions) Supine, Easy-Adjust Seat Depth, Swing-Away Tray, Large Contoured Chest Pad, Multi-Adjustable Foot Plates, Secure Foot Straps, Swing-Away Knee Pads, Hip Supports, Planar Back, Velcro® Positioning Belt, Chest Strap or Chest Vest with High Mount Vest Bracket, Lateral Supports, Head Support, Front Frame, 5" Rear |
|--|--|
| (nee Pads (select one, inside width) | Locking Casters, Planar Seat. Front Frame (select one) |
| Foot Holders (select one, pair) ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W ☐ 11.75"Lx5"W DEFAULT | ☐ 5" Front Wheels DEFAULT ☐ 3" Front Swivel Casters Swing-Away Tray (select one) |
| Planar Back (select one, height from seat) | ☐ Black Molded 21"Lx24"W ☐ Clear Tray-21"Lx24"W DEFAULT |
| lead Support (select one) | Knee Pads (select one, inside width) |
| ☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 7"Hx14"W ☐ 5"Hx10"W-Form to Fit DEFAULT | Foot Holders (select one, pair) 7.75"Lx3.25"W 9.75"Lx4"W 11.75"Lx5"W DEFAULT Secure Foot Straps (select one, length over top of foot, two pair) |
| PK110 Moderate Support Package\$7,117 | ☐ 10"L default ☐ 15"L |
| he moderate support package includes: (no substitutions) upine, Easy-Adjust Seat Depth, Black Molded Swing-Away Tray, Large | Planar Back (select one, height from seat) ☐ 16"H ☐ 20"H DEFAULT |
| ontoured Chest Pad, Multi-Adjustable Foot Plates, Secure Foot Straps, wing-Away Knee Pads, Contoured Seat, Contoured Back, Velcro® Positioning elt, Chest Strap or Chest Vest with High Mount Vest Bracket, Head Support, ront Frame, 5" Rear Locking Casters. | Chest Support (select one) ☐ Chest Strap (circumference up to 42", velcro with D-ring) ☐ X-Style 11"Lx9.5"W ☐ X-Style 14.5"Lx10.5"W DEFAULT ☐ Y-Style 17.5"Lx11.5"W ☐ Y-Style 20.5"Lx12.5"W |
| Front Frame (select one) 5" Front Wheels DEFAULT 3" Front Swivel Casters | ☐ Non-Stretch X-Style 11"Lx9.5"W ☐ Non-Stretch X-Style 14.5"Lx10.5"W ☐ Non-Stretch Y-Style 17.5"Lx11.5"W ☐ Non-Stretch Y-Style 20.5"Lx12.5"W |
| (Incee Pads (select one, inside width) □ 4" □ 5.5" befault | Lateral Supports (select one) 9"-15.5"W Range (select pad style below) |
| Oot Holders (select one, pair) ☐ 7.75"Lx3.25"W ☐ 9.75"Lx4"W ☐ 11.75"Lx5"W DEFAULT | ☐ Flat Pads ☐ Curved Pads ☐ With Elbow Stop 9"-14.5" Range DEFAULT |
| Gecure Foot Straps (select one, length over top of foot, two pair) 10"L DEFAULT | Head Support (select one) 5"Hx8"W 6"Hx10"W 7"H x 14"W 5"Hx10"W-Form to Fit default |
| Contoured Back (select one, height from seat) | |
| Chest Support (select one) | |
| Chest Strap (circumference up to 42", velcro with D-ring) X-Style 11"Lx9.5"W | |
| lead Support (select one) ☐ 5"Hx8"W ☐ 6"Hx10"W ☐ 7"Hx14"W ☐ 5"Hx10"W-Form to Fit DEFAULT | |

Email form to webquotes@easystand.com

AltimateMedical

EasyStandij

Retail Order Form USA Effective January 1, 2023

Evolv Medium User Specifications

| Approximate Height Range | 4'0"-5'6" |
|--|---------------------|
| Weight Limit Seat Depth Range (seat to back surface) | 200 lbs. 14"-19" |
| Seat to Foot Plate Range (from seat pivot) | 11.5"-18" |
| Bill TO (EasyStand Supplier Only) | |
| Purchase Order #: | |
| Quote #: | |
| Account #: | |
| Ordered By: | |
| Name of ATP (Required): | |
| Supplier Company: | |
| Address: | |
| City, State, Zip: | |
| Phone: | |
| Email: | |
| Payer Source: | |
| Ship To | |
| Name: | |
| Address: | |
| Address: | |
| City, State: | |
| Zip: | |
| Phone: | |
| Tag For: | |
| | |

Date:

Evolv Medium Packages

| PK201 Minimum Support Package\$5,206 The minimum support package includes: (no substitutions) Easy-Adjust Seat Depth, Removable Back, Velcro® Positioning Belt, Chest Strap, Black Molded Tray with Chest Pad, Manual Hydraulic Actuator with Handle, Flip-Up Knee Pad, Planar Seat, Multi-Adjustable Foot Plates, 5" Front Wheels, 5" Rear Locking Casters. | □ PK203 Maximum Support Package\$9,360 The maximum support package includes: (no substitutions) Easy-Adjust Seat Depth, Swing-Away Front for Shadow Tray, Adjustable/Removable Actuator Handle, Shadow Tray, Large Contoured Chest Pad, Secure Foot Straps, Hip Supports, Independent Knee Pads for Swing-Away, Removable Back, Positioning Belt, Accessories Mounting Bracket, Chest Strap or Chest Vest with High Mount Vest Bracket, Lateral Supports, Head Support, Shadow Tray, Multi-Adjustable Foot |
|--|--|
| Actuator Handle Location (select one) Right DEFAULT Left | Plates, Planar Seat, Front Wheels/Casters, 5" Rear Locking Casters. |
| Removable Back (select one) Flat Back-19"H befault | Front Wheel/Casters (select one) ☐ 5" Front Wheels DEFAULT ☐ Front Swivel Casters |
| ☐ Contoured Back-15"H ☐ Contoured Back-19"H Velcro® Positioning Belt (select one, hip circumference) | Actuator Handle Location (select one) Right DEFAULT Left |
| 26"-55" DEFAULT 38"-67" | Shadow Tray (select one) Black Molded Adjustable Shadow Tray (7"-12"H from seat, 4"-20"D from back) |
| Chest Strap (select one, chest measurement) 30"-46" DEFAULT | Clear Adjustable Shadow Tray (6"-11"H from seat, 4"-20"D from back) DEFAULT |
| | Chest Pad (select one) ☐ Non-Adjustable DEFAULT ☐ Adjustable |
| □ PK202 Moderate Support Package\$7,298 The moderate support package includes: (no substitutions) | Secure Foot Straps (select one, length over top of foot, two pair) |
| Easy-Adjust Seat Depth, Swing-Away Front, Adjustable/Removable Actuator | ☐ 15"L default ☐ 21"L |
| Handle, Large Contoured Chest Pad, Secure Foot Straps, Hip Supports, | Hip Supports (select one range) |
| Independent Knee Pads for Swing-Away, Removable Back, Velcro® Positioning Belt, Chest Strap, Accessories Mounting Bracket, Lateral Supports, Planar Seat, | 9"-15" default |
| Multi-Adjustable Foot Plates, Black Molded Tray, 5" Front Wheels, 5" Rear | Removable Back (select one) ☐ Flat Back-15"H ☐ Flat Back-19"H |
| Locking Casters. | ☐ Contoured Back-15"H ☐ Contoured Back-19"H DEFAULT |
| Actuator Handle Location (select one) Right DEFAULT Left | Velcro® Positioning Belt (select one, hip circumference) |
| Chest Pad (select one) | ☐ 26"-55" default ☐ 38"-67" |
| ☐ Non-Adjustable DEFAULT ☐ Adjustable | Chest Support (select one) |
| Secure Foot Straps (select one, length over top of foot, two pair) 15"L DEFAULT 21"L | ☐ Chest Strap select one chest measurement: ☐ 30"-46" ☐ 34"-54" ☐ 46"-66 ☐ X-Style 11"Lx9.5"W ☐ X-Style 14.5"Lx10.5"W □ Y-Style 20.5"Lx12.5"W |
| Hip Supports (select one range) ☐ 9"-15" DEFAULT ☐ 11"-17" ☐ 16"-22" | ☐ Non-Stretch X-Style 11"Lx9.5"W ☐ Non-Stretch X-Style 14.5"Lx10.5"W ☐ Non-Stretch Y-Style 17.5"Lx11.5"W ☐ Non-Stretch Y-Style 20.5"Lx12.5"W |
| Removable Back (select one) ☐ Flat Back-19"H □ Flat Back-19"H DEFAULT | Lateral Supports (select one) 8"-16.5"W Range (select pad style below) |
| ☐ Contoured Back-15"H ☐ Contoured Back-19"H | Flat Pads DEFAULT Curved Pads |
| Velcro® Positioning Belt (select one, hip circumference) 26"-55" DEFAULT 38"-67" | ☐ 11"-19.5"W Range (select pad style below) ☐ Flat Pads ☐ Curved Pads |
| Chest Strap (select one, chest measurement) | Head Support (select one) |
| 30"-46" default 34"-54" 46"-66" | Short default Tall |
| Lateral Supports (select one) □ 8"-16.5"W Range (select pad style below) □ Flat Pads DEFAULT □ Curved Pads □ 11"-19.5"W Range (select pad style below) □ Flat Pads □ Curved Pads | □ PK204 Minimum Support Package (Mobile)\$7,376 The minimum support package includes: (no substitutions) Easy-Adjust Seat Depth, Mobile, Clear Angle Adjustable Tray for Mobile, Large Contoured Chest Pad, Removable Back, Velcro® Positioning Belt, Chest Strap, Manual Hydraulic Actuator with Handle, Planar Seat, Flip-Up Knee Pads, Matter Adjustable Foot Plates Fill Page Lagling Contours |
| | Multi-Adjustable Foot Plates, 5" Rear Locking Casters. Actuator Handle Location (select one) |
| | Right DEFAULT Left |
| | Chest Pad (select one) |
| | □ Non-Adjustable DeFAULT □ Adjustable |
| | Removable Back (select one) ☐ Flat Back-15"H ☐ Flat Back-19"H DEFAULT ☐ Contoured Back-15"H ☐ Contoured Back-19"H |
| | Velcro® Positioning Belt (select one, hip circumference) |
| | 26"-55" DEFAULT 38"-67" |

Chest Strap (select one, chest measurement)

☐ 30"-46" default ☐ 34"-54"

Email form to webquotes@easystand.com

Altimate Medical



Retail Order Form USA Effective January 1, 2023

Evoly Large User Specifications

| Approximate Height Range Weight Limit Seat Depth Range (seat to back surface) Seat to Foot Plate Range (from seat pivot) | 5'0"-6'2" 280 lbs. 18"-23" 14"-21" |
|--|---|
| Bill TO (EasyStand Supplier Only) | |
| Purchase Order #: | |
| Quote #: | |
| Account #: | |
| Ordered By: | |
| Name of ATP (Required): | |
| Supplier Company: | |
| Address: | |
| City, State, Zip: | |
| Phone: | |
| Email: | |
| Payer Source: | |
| Ship To | |
| Name: | |
| Address: | |
| Address: | |
| City, State: | |
| Zip: | |
| Phone: | |
| Tag For: | |

Date:

Email form to webquotes@easystand.com

Altimate Medical

Ph: 800.342.8968 or 507.697.6393 Fax: 877.342.8968 or 507.697.6900 easystand.com

Evolv Large Packages

| □ PK205 Minimum Support Package\$5,206 The minimum support package includes: (no substitutions) Easy-Adjust Seat Depth, Removable Back, Velcro® Positioning Belt, Chest Strap, Black Molded Tray with Chest Pad, Manual Hydraulic Actuator with Handle, Flip-Up Knee Pad, Planar Seat, Multi-Adjustable Foot Plates, 5" Front Wheels, 5" Rear Locking Casters. Actuator Handle Location (select one) | □ PK207 Maximum Support Package\$9,36 The maximum support package includes: (no substitutions) Easy-Adjust Seat Depth, Swing-Away Front for Shadow Tray, Adjustable/Removabl Actuator Handle, Shadow Tray, Large Contoured Chest Pad, Secure Foot Straps, Hi Supports, Independent Knee Pads for Swing-Away, Removable Back, Positioning Belt, Accessories Mounting Bracket, Chest Strap or Chest Vest with High Mount Vest Bracket, Lateral Supports, Head Support, Shadow Tray, Multi-Adjustable Foot Plates, Planar Seat, Front Wheels/Casters, 5" Rear Locking Casters. |
|---|---|
| Right DEFAULT Left Removable Back (select one) Flat Back-15"H Flat Back-19"H DEFAULT Contoured Back-15"H Contoured Back-19"H | Front Wheel/Casters (select one) 5" Front Wheels DEFAULT Front Swivel Casters Actuator Handle Location (select one) |
| Velcro® Positioning Belt (select one, hip circumference) 26"-55" DEFAULT 38"-67" Chest Strap (select one, chest measurement) 30"-46" 34"-54" DEFAULT 46"-66" | ☐ Right DEFAULT ☐ Left Shadow Tray (select one) ☐ Black Molded Adjustable Shadow Tray (7"-12"H from seat, 4"-20"D from back) ☐ Clear Adjustable Shadow Tray (6"-11"H from seat, 4"-20"D from back) DEFAULT |
| □ PK206 Moderate Support Package\$7,298 The moderate support package includes: (no substitutions) Easy-Adjust Seat Depth, Swing-Away Front, Adjustable/Removable Actuator Handle, Large Contoured Chest Pad, Secure Foot Straps, Hip Supports, Independent Knee Pads for Swing-Away, Removable Back, Velcro® Positioning Belt, Chest Strap, Accessories Mounting Bracket, Lateral Supports, Planar Seat, Multi-Adjustable Foot Plates, Black Molded Tray, 5" Front Wheels, 5" Rear Locking Casters. | Chest Pad (select one) Non-Adjustable DEFAULT Adjustable Secure Foot Straps (select one, length over top of foot, two pair) 15"L DEFAULT 21"L Hip Supports (select one range) 10"-15" 12"-17" DEFAULT 17"-23" Removable Back (select one) Flat Back-15"H Flat Back-19"H |
| Actuator Handle Location (select one) Right DEFAULT Left Chest Pad (select one) NOn-Adjustable DEFAULT Adjustable Secure Foot Straps (select one, length over top of foot, two pair) 15"L DEFAULT 21"L Hip Supports (select one range) 10"-15" 12"-17" DEFAULT 17"-23" | Contoured Back-15"H |
| Removable Back (select one) Flat Back-15"H Flat Back-19"H DEFAULT Contoured Back-15"H Contoured Back-19"H Velcro® Positioning Belt (select one, hip circumference) | Lateral Supports (select one) □ 8"-16.5"W Range (select pad style below) □ Flat Pads □ Curved Pads □ 11"-19.5"W Range (select pad style below) □ Flat Pads DEFAULT □ CURVED PADS |
| ☐ 26"-55" DEFAULT ☐ 38"-67" Chest Strap (select one, chest measurement) | Head Support (select one) Short Tall DEFAULT |
| □ 30"-46" □ 34"-54" DEFAULT □ 46"-66" Lateral Supports (select one) □ 8"-16.5"W Range (select pad style below) □ Flat Pads □ Curved Pads □ 11"-19.5"W Range (select pad style below) □ Flat Pads DEFAULT □ CURVED PADS | □ PK208 Minimum Support Package (Mobile)\$7,376 The minimum support package includes: (no substitutions) Easy-Adjust Seat Depth, Mobile, Clear Angle Adjustable Tray for Mobile, Large Contoured Chest Pad, Removable Back, Velcro® Positioning Belt, Chest Strap, Manual Hydraulic Actuator with Handle, Planar Seat, Flip-Up Knee Pads, Multi-Adjustable Foot Plates, 5" Rear Locking Casters. Actuator Handle Location (select one) □ Right DEFAULT □ Left Chest Pad (select one) □ Non-Adjustable DEFAULT □ Adjustable |
| | Removable Back (select one) Flat Back-15"H |

☐ 30"-46" ☐ 34"-54" DEFAULT ☐ 46"-66"



Retail Order Form

USA Effective January 1, 2023

Evoly XT User Specifications

| Approximate Height Range Weight Limit | 6'0"-6'10" 350 lbs. |
|--|------------------------|
| Seat Depth Range (seat to back surface) Seat to Foot Plate Range (from seat pivot) | 20"-25" 17"-23" |
| BIII TO (EasyStand Supplier Only) | |
| | |
| Purchase Order #: | |
| Quote #: | |
| Account #: | |
| Ordered By: | |
| Name of ATP (Required): | |
| Supplier Company: | |
| Address: | |
| City, State, Zip: | |
| Phone: | |
| Email: | |
| Payer Source: | |
| Ship To | |
| Name: | |
| Address: | |
| Address: | |
| City, State: | |
| Zip: | |
| Phone: | |
| Tag For: | |
| | |

Date:_

Email form to webquotes@easystand.com

Altimate Medical

Ph: 800.342.8968 or 507.697.6393 Fax: 877.342.8968 or 507.697.6900 easystand.com

Evolv XT Packages

| PK209 Minimum Support Package | □ PK211 Maximum Support Package\$10,142 The maximum support package includes: (no substitutions) Easy-Adjust Seat Depth, Adjustable/Removable Actuator Handle, Large Contoured Chest Pad, Secure Foot Straps, Hip Supports, Independent Knee Pads, Removable Back, Velcro® Positioning Belt, Accessories Mounting Bracket, Chest Strap or Chest Vest with High Mount Vest Bracket, Lateral Supports, Head Support, Shadow Tray, Multi-Adjustable Foot Plates, Planar Seat, 5" Front Wheels/Casters, 5" Rear Locking Casters. |
|--|--|
| Right DEFAULT Left Removable Back (select one) Flat Back-15"H Flat Back-19"H DEFAULT Contoured Back-15"H Contoured Back-19"H | Front Wheel/Casters (select one) 5" Front Wheels DEFAULT Front Swivel Casters Actuator Handle Location (select one) |
| Velcro® Positioning Belt (select one, hip circumference) □ 26"-55" □ 38"-67" DEFAULT Chest Strap (select one, chest measurement) □ 30"-46" □ 34"-54" □ 46"-66" DEFAULT | ☐ Right DEFAULT ☐ Left Shadow Tray (select one) ☐ Black Molded Adjustable Shadow Tray (7"-12"H from seat, 4"-20"D from back) ☐ Clear Adjustable Shadow Tray (6"-11"H from seat, 4"-20"D from back) DEFAULT Chest Pad (select one) ☐ Non-Adjustable DEFAULT ☐ Adjustable |
| □ PK210 Moderate Support Package\$8,347 The moderate support package includes: (no substitutions) Easy-Adjust Seat Depth, Adjustable/Removable Actuator Handle, Large Contoured Chest Pad, Secure Foot Straps, Hip Supports, Independent Knee Pads, Removable Back, Velcro® Positioning Belt, Chest Strap, Accessories Mounting Bracket, Lateral Supports, Planar Seat, Multi-Adjustable Foot Plates, Black Molded Tray, 5" Front Wheels, 5" Rear Locking Casters. | Secure Foot Straps (select one, length over top of foot, two pair) 15"L DEFAULT 21"L Hip Supports (select one range) 10"-15" 17"-17" 17"-23" DEFAULT Removable Back (select one) Flat Back-15"H Flat Back-15"H |
| Actuator Handle Location (select one) Right DEFAULT Left | ☐ Contoured Back-15"H ☐ Contoured Back-19"H DEFAULT Velcro® Positioning Belt (select one, hip circumference) |
| Chest Pad (select one) ☐ Non-Adjustable DEFAULT ☐ Adjustable Secure Foot Straps (select one, length over top of foot, two pair) ☐ 15"L DEFAULT ☐ 21"L Hip Supports (select one range) | ☐ 26"-55" ☐ 38"-67" DEFAULT Chest Support (select one) ☐ Chest Strap select one chest measurement: ☐ 30"-46" ☐ 34"-54" ☐ 46"-66' ☐ X-Style 11"LX9.5"W ☐ X-Style 14.5"LX10.5"W DEFAULT ☐ Y-Style 17.5"LX11.5"W ☐ Y-Style 20.5"LX12.5"W ☐ Non-Stretch X-Style 11"LX9.5"W ☐ Non-Stretch X-Style 14.5"LX10.5"W |
| Removable Back (select one) Flat Back-15"H | Non-Stretch Y-Style 17.5"Lx11.5"W Non-Stretch Y-Style 20.5"Lx12.5"W Lateral Supports (select one) 8"-16.5"W Range (select pad style below) |
| Chest Strap (select one, chest measurement) ☐ 30"-46" ☐ 34"-54" ☐ 46"-66" DEFAULT | Head Support (select one) ☐ Short ☐ Tall DEFAULT |
| Lateral Supports (select one) □ 8"-16.5"W Range (select pad style below) □ Flat Pads □ Curved Pads □ 11"-19.5"W Range (select pad style below) □ Flat Pads □ EFRAULT □ Curved Pads | □ PK212 Minimum Support Package (Mobile)\$8,693 The minimum support package includes: (no substitutions) Easy-Adjust Seat Depth, Mobile, Clear Angle Adjustable Tray for Mobile, Large Contoured Chest Pad, Removable Back, Velcro® Positioning Belt, Chest Strap, Manual Hydraulic Actuator with Handle, Planar Seat, Flip-Up Knee Pads, Multi- Adjustable Foot Plates, 5" Rear Locking Casters. |
| | Actuator Handle Location (select one) Right DEFAULT Left Chest Pad (select one) Non-Adjustable DEFAULT Adjustable Removable Back (select one) Flat Back-15"H Flat Back-19"H DEFAULT Contoured Back-15"H Contoured Back-19"H |
| | Velcro® Positioning Belt (select one, hip circumference) 26"-55" 38"-67" DEFAULT Chest Strap (select one, chest measurement) |

□ 30"-46"

☐ 34"-54" DEFAULT ☐ 46"-66"

| EasyStandi |
|--------------------------|
| Retail Order Form |

| USA | Effective | January 1, | 2023 | Date: | |
|-----|-----------|------------|------|-------|--|
| | | | | | |

Glider User Specifications

This price list is for both the Glider Medium and the Glider Large. Specifications for each are listed above the pricing.

| Bill TO (EasyStand Supplier Only) | |
|-----------------------------------|--|
| Purchase Order #: | |
| Quote #: | |
| Account #: | |
| Ordered By: | |
| Name of ATP (Required): | |
| Supplier Company: | |
| Address: | |
| City, State, Zip: | |
| Phone: | |
| Email: | |
| Payer Source: | |
| Ship To | |
| Name: | |
| Address: | |
| Address: | |
| City, State: | |
| Zip: | |
| Phone: | |
| Гаg For: | |

Email form to webquotes@easystand.com

Altimate Medical

Ph: 800.342.8968 or 507.697.6393 Fax: 877.342.8968 or 507.697.6900 easystand.com

Glider Medium & Large Packages

Glider Medium User Specifications

Approximate Height Range 4'0"-5'6"
Weight Limit 200 lbs.
Seat Depth Range (center of knee pad to flat back) 20"-25"
Seat to Foot Plate Range (from seat pivot) 13.5"-16.5"

Glider Large User Specifications

Approximate Height Range 5'0"-6'2"
Weight Limit 280 lbs.
Seat Depth Range (center of knee pad to flat back) 24"-29"
Seat to Foot Plate Range (from seat pivot) 15.5"-18.5"

EasyStand Glider Medium

☐ PK213 Moderate Support Package.....\$10,161

The moderate support package includes: (no substitutions)

Easy-Adjust Seat Depth, Adjustable/Removable Actuator Handle, Secure Foot Straps, Hip Supports, Glide Handle Extensions, Removable Back, Velcro® Positioning Belt, Chest Strap, Full Range Seat, Positioning Bar, 5" Front Wheels, 5" Rear Locking Casters, Tray & Chest Pad, Flip-Up Knee Pads, Adjustable Resistance Cylinders, Adjustable Foot Plates.

Actuator Handle Location (select one)

☐ Right DEFAULT ☐ Left

Secure Foot Straps (select one, length over top of foot, two pair)

☐ 15"L DEFAULT ☐ 21"L

Hip Supports (select one range)

☐ 9"-15" default ☐ 11"-17"

Removable Back (select one)

☐ Flat Back-15"H ☐ Flat Back-19"H □ Flat Back-19"H ☐ Contoured Back-15"H ☐ Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference)

☐ 26"-55" default ☐ 38"-67"

Chest Strap (select one, chest measurement)

□ 30"-46" □ 34"-54" DEFAULT □ 46"-66"

| Easy | Stand | Glider | Large |
|------|-------|--------|-------|
|------|-------|--------|-------|

☐ PK214 Moderate Support Package.....\$10,008

The moderate support package includes: (no substitutions)

Easy-Adjust Seat Depth, Adjustable/Removable Actuator Handle, Secure Foot Straps, Hip Supports, Removable Back, Velcro® Positioning Belt, Chest Strap, Full Range Seat, Positioning Bar, 5" Front Wheels, 5" Rear Locking Casters, Tray & Chest Pad, Flip-Up Knee Pads, Adjustable Resistance Cylinders, Glide Handles, Adjustable Foot Plates.

Actuator Handle Location (select one)

☐ Right DEFAULT ☐ Left

Secure Foot Straps (select one, length over top of foot, two pair)

☐ 15"L DEFAULT ☐ 21"L

Hip Supports (select one range)

☐ 10"-15" ☐ 12"-17" default

Removable Back (select one)

☐ Flat Back-15"H ☐ Flat Back-19"H DEFAULT

☐ Contoured Back-15"H ☐ Contoured Back-19"H

Velcro® Positioning Belt (select one, hip circumference)

☐ 26"-55" ☐ 38"-67" default

Chest Strap (select one, chest measurement)

☐ 30"-46" ☐ 34"-54" default ☐ 46"-66"



Retail Order Form

USA Effective January 1, 2023 Date: ____

StrapStand User Specifications

Height Range Weight Limit 5'0"-6'5" 350 lbs.

Bill TO (EasyStand Supplier Only) Purchase Order #: _____ Ordered By: Name of ATP (Required): Supplier Company: Payer Source: Ship To Address: Address:

StrapStand Packages

| □ PK301 | Minimum | Support | Package | \$4,548 |
|---------------|------------------|----------------|---------------|---------|
| The minimum s | upport package i | ncludes: (no s | ubstitutions) | |

Swing-Out Legs, Adjustable Lifting Strap, Black Molded Tray, Four Locking Swivel Casters. Foot Plates. Knee Pad. Hydraulic Actuator with Handle.

Lifting Strap (select one)

- ☐ Adjustable Lifting Strap 10"Wx26"L☐ Adjustable Lifting Strap 12"Wx29"L DEFAULT☐ Adjustable Lifting Strap 14"Wx32"L
- Adjustable Sling Strap 9"Wx25"L
 Adjustable Sling Strap 12"Wx28"L
 Adjustable Sling Strap 14"Wx32"L
 Adjustable Sling Strap 14"Wx32"L
- ☐ PK302 Moderate Support Package.....\$6,017

The moderate support package includes: (no substitutions)

Swing-Out Legs, Adjustable Lifting Strap, Black Molded Tray, Four Locking Swivel Casters. Multi-Adjustable Footplates, Foot Straps, Independent Knee Pads, Removable Actuator Handle, Upper Body Support Strap, Grab Handles, Transport Handle.

Lifting Strap (select one)

- ☐ Adjustable Lifting Strap 10"Wx26"L☐ Adjustable Lifting Strap 12"Wx29"L DEFAULT☐ Adjustable Lifting Strap 14"Wx32"L
- ☐ Adjustable Sling Strap 9"Wx25"L
 ☐ Adjustable Sling Strap 12"Wx28"L
 ☐ Adjustable Sling Strap 12"Wx28"L
 ☐ Adjustable Sling Strap 14"Wx32"L
- Secure Foot Straps (select one, length over top of foot, two pair)

☐ 15"L ☐ 21"L DEFAULT

☐ PK303 Maximum Support Package.....\$6,504

The maximum support package includes: (no substitutions)

Swing-Out Legs, Adjustable Lifting Strap, Black Molded Tray, Large Contoured Chest Pad, Padded Tray Cover, Multi-Adjustable Footplates, Secure Foot Straps, Independent Roho Knee Pads, Removable Actuator Handle, Upper Body Support Strap, Grab Handles, Transport Handle, Four Locking Swivel Casters.

Lifting Strap (select one)

- ☐ Adjustable Lifting Strap 10"Wx26"L
 ☐ Adjustable Lifting Strap 12"Wx29"L DEFAULT
 ☐ Adjustable Lifting Strap 14"Wx32"L
 ☐ Adjustable Sling Strap 9"Wx25"I
- Adjustable Sling Strap 9"Wx25"L
 Adjustable Sling Strap 12"Wx28"L
 Adjustable Sling Strap 14"Wx32"L

Secure Foot Straps (select one, length over top of foot, two pair)

☐ 15"L ☐ 21"L DEFAULT

Email form to webquotes@easystand.com

Altimate Medical